




New development in absorption technique anti contamination shields

Revolutionary mineral absorbent made of natural non-asbestos mineral fibers with nano-reinforcement are today used in cleaning oil/ chemical spill of liquid.



Unfortunately on this earth is no way to secure 100% no leakage contamination of any kind. Most well familiar is the contamination of oil to the environment. Spill Prevention Shield is placed around Oil Rigs, Wind Turbines, Power Generators, Storage tanks, valve stations as base for temporally service place to protect the ground from oil spills and leaks in calamity.

IM Supply BV

1

Burenweg 14
7621 GX Borne
The Netherlands

Phone: +31 (0) 74 256 9777
Cell phone: +31 (0)6 427 20 672

E-mail: info@im-support.nl
Internet: www.im-supply.com

SPILL PREVENTION SYSTEMS



Anti contamination shield are capture oil up till 300 liters pro mat . Water resistance – easy to install.



examples of use:

ABOVE GROUND STORAGE TANKS SPILL PREVENTION



Green Ocean Spill Prevention Shield holds oils inside keeping the ground clean

- Can be installed Greenfield or Brownfield
- Allows for full access to equipment as the system is designed for drivability
- Offered in different modifications

Gravel
Green Ocean Mat

Soil

Product Type	Product ID	Dimensions (cm)	Quantity (bag/bale)	Absorbency (l)
Spill Prevention Mat	GOWT	600 × 100 × 5	1	300

RAIL ROADS POLLUTION CONTROL



1 mat absorbs up to 435 liters of oil!

SPILL PREVENTION RAILWAY MAT

- 100% non-combustible hydrophobic mat
- Resistant to all weather conditions
- Easy to install and remove
- Used materials can be easily replaced
- Extremely long durability
- Meet with legislation
- Reduce cleanup time and cost

Product Type	Product ID	Dimensions (cm)	Quantity (bag/bale)	Absorbency (l)
Railway Mat	GORM	600 × 145 × 5	1	435

CONTAINMENT SYSTEM FOR ELECTRICAL UTILITIES



Classic containment system creates a "swimming pool" of contaminated water that needs to be pumped out

- 1 sq. meter of the cover absorbs up to 300 liters
- 100% non-combustible mat
- 100% hydrophobic
- Resistant to all weather conditions
- Easy to install and remove
- Used materials can be easily replaced



**1 GREEN OCEAN MAT HOLDS UP TO 300 LITERS OF OIL!
NO DIRTY WORK!**

Product Type	Product ID	Dimensions (cm)	Quantity (bag/bale)	Absorbency (l)
Spill Prevention Mat	GOWT	600 × 100 × 5	1	300

WIND TURBINES LEAKS PREVENTION



Typical absorbent boom failed to absorb lubricant oil



GREEN OCEAN SPILL PREVENTION SYSTEM WORKS PERFECT FOR ONSHORE AND OFFSHORE TURBINES

Product Type	Product ID	Dimensions (cm)	Quantity (bag/bale)	Absorbency (l)
Wind Turbine Mat	GOWT	600 × 100 × 5	1	300



Critical zone / buffer zone



It took only 1 day to cover 100 m² with oil spill protection area. Now in case of spillage all the spilled liquid will be absorbed in to absorption material. Spill shields contaminated part than can be replaced leaving contamination free spill shield parts untouched.



Contact us for any questions.

We offer free consulting for any project or situation. Prevention is the first step in environmental friendly living in this world.